

Stone Product

Ledgestone	A1
Dry Stack	A2
Limestone.....	A3
Fieldstone	A4
Natural Cut™	A5
River Rock	A6
PrecisionFit™	A7
Terra Cut™	A8
Chisel Cut™	A9
Ridge Cut™	A10
Edge Cut™	A11
Thin Brick	A12

Stone Accessories

Limestone Hearthstone	B1
Half Hearthstone.....	B2
6x8 Trim Stone	B3
Limestone Row Locks	B4
Flat Window Trim.....	B5
Hydrant Stone.....	B6
Light Base	B7
Receptacle Stone	B8
Limestone Cap Stone	B9
Flat Wall Caps.....	B10
Column Caps.....	B11
Shutter Block.....	B12
Large Shutter Block	B13
Limestone Water Sill	B14
Keystone	B15
Brick Sill.....	B16

Technical - Ledgerstone Information



Product Dimensions		Coverage	Packaging	Weight
Flats	Width: 6" - 21½"	10 sq. ft. based on ½" minimum grout joints	Box	90 lbs
	Height: 1¼" - 6½"		Pallet (24 boxes)	2,210 lbs*
90° Corners	Depth: 1" - 2¼"	6 linear ft. based on ½" minimum grout joints	Box	70 lbs
	Long Tails: 6½" - 10"		Pallet (24 boxes)	1,730 lbs*
	Medium Tails: 5½" - 7"			
	Short Tails: 1½" - 2¼"			

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.



Technical - Dry Stack Information



	Product Dimensions	Coverage	Packaging	Weight
Flats	Width: 5" - 21½"	12½ sq. ft. based on tight fitted joints	Box	123 lbs
	Height: 1" - 5½"		Pallet (20 boxes)	2,510 lbs*
90° Corners	Depth: 1" - 2"	6 linear ft. based on tight fitted joints	Box	72 lbs
	Long Tails: 9" - 10½"		Pallet (24 boxes)	1,778 lbs*
	Medium Tails: 5½" - 6½"			
	Short Tails: 1½" - 2¼"			

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.



Technical - Limestone Information



Product Dimensions		Coverage	Packaging	Weight
Flats	Width: 5½" - 21½"	10 sq. ft. based on ½" minimum grout joints	Box	94 lbs
	Height: 2" - 12½"		Pallet (24 boxes)	2,306 lbs*
90° Corners	Depth: 1" - 1¾"	6 linear ft. based on ½" minimum grout joints	Box	80 lbs
	Long Tails: 9" - 10"		Pallet (24 boxes)	1,970 lbs*
	Medium Tails: 5½" - 6½"			
	Short Tails: 2"			

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.



Technical - Fieldstone Information



	Product Dimensions	Coverage	Packaging	Weight
Flats	Random Shapes: 3" - 16¼" Depth: 1" - 1½"	10 sq. ft. based on ½" minimum grout joints	Box	92 lbs
			Pallet (24 boxes)	2,258 lbs*
90° Corners	Long Tails: 6" - 10" Short Tails: 1" - 2"	6 linear ft. based on ½" minimum grout joints	Box	65 lbs
			Pallet (24 boxes)	1,610 lbs*

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.



Technical - Natural Cut™ Information



	Product Dimensions	Coverage	Packaging	Weight
Flats	Width: 6" - 21½" Height: 3" - 12" Depth: 1¾"	10 sq. ft. based on ½" minimum grout joints	Box	130 lbs
			Pallet (20 boxes)	2,650 lbs*
90° Corners	Long Tails: 4" - 9" Short Tails: 1¾" - 2½"	6 linear ft. based on ½" minimum grout joints	Box	85 lbs
			Pallet (24 boxes)	2,090 lbs*

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.



Technical - River Rock Information



	Product Dimensions	Coverage	Packaging	Weight
Flats	Random Shapes: 3" - 16½" Depth: 2"	10 sq. ft. based on ½" minimum grout joints	Box	111 lbs
			Pallet (24 boxes)	2,714 lbs*
90° Corners	Long Tails: 5½" - 9" Short Tails: ¾" - 3"	6 linear ft. based on ½" minimum grout joints	Box	65 lbs
			Pallet (24 boxes)	1,610 lbs*

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.




Technical - PrecisionFit™ Panel Information



	Product Dimensions	Coverage	Packaging	Weight
Flats	Width: 9", 13 $\frac{1}{8}$ ", 22 $\frac{3}{8}$ " Height: 3 $\frac{15}{16}$ " Depth: 1" - 2 $\frac{1}{4}$ "	5 sq. ft. based on tight fitted joints	Box	52 lbs
			Pallet (45 boxes)	2,390 lbs*
90° Corners	Long Tails: 8 $\frac{1}{2}$ " Medium Tails: 5 $\frac{1}{2}$ " Short Tails: 2"	6 linear ft. based on tight fitted joints	Box	75 lbs
			Pallet (24 boxes)	1,850 lbs*

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.




Technical - Terra Cut™ Information



	Product Dimensions	Coverage	Packaging	Weight
Flats	Width: 3" - 22" Height: 2" - 8" Depth: ¾" - 2"	10 sq. ft. based on ½" minimum grout joints	Box	95 lbs
			Pallet (24 boxes)	2,330 lbs*
90° Corners	Long Tails: 8½" - 9½" Medium Tails: 5" - 6½" Short Tails: 2" - 2½"	6 linear ft. based on ½" minimum grout joints	Box	70 lbs
			Pallet (24 boxes)	1,730 lbs*

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.



Technical - Chisel Cut™ Information



Product Dimensions		Coverage	Packaging	Weight
Flats	Width: 4" - 20½"	10 sq. ft. based on ½" minimum grout joints	Box	103 lbs
	Height: 1½" - 4" Depth: 1" - 2⅝"		Pallet (20 boxes)	2,110 lbs*
90° Corners	Long Tails: 9¼" - 10¼"	6 linear ft. based on ½" minimum grout joints	Box	75 lbs
	Medium Tails: 6¼" - 8¾" Short Tails: 2" - 3"		Pallet (24 boxes)	1,850 lbs*

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.



Technical - Ridge Cut™ Information



Product Dimensions		Coverage	Packaging	Weight
Flats	Width: 5" - 16"	10 sq. ft. based on ½" minimum grout joints	Box	92 lbs
	Height: 2½" - 9" Depth: 1½" - 2"		Pallet (24 boxes)	2,258 lbs*
90° Corners	Long Tails: 9¼" - 10"	6 linear ft. based on ½" minimum grout joints	Box	70 lbs
	Medium Tails: 7" - 8" Short Tails: 4½" - 6"		Pallet (24 boxes)	1,730 lbs*

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.




Technical - Edge Cut™ Information



	Product Dimensions	Coverage	Packaging	Weight
Flats	Width: 3" - 16" Height: 4" Depth: 1½"	10 sq. ft. based on ½" minimum grout joints	Box	98 lbs
			Pallet (24 boxes)	2,402 lbs*
90° Corners	Long Tails: 7¼" - 8¾" Short Tails: 5" - 6¼"	6 linear ft. based on ½" minimum grout joints	Box	80 lbs
			Pallet (24 boxes)	1,970 lbs*

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.




Technical - Thin Brick Information



	Product Dimensions	Coverage	Packaging	Weight
Flats	Width: 7¼" - 7⅝" Height: 2⅝" Depth: 1⅝"	9 sq. ft. based on ½" minimum grout joints	Box	50 lbs
			Pallet (45 boxes)	2,300 lbs*
90° Corners	Long Tails: 7¼" Short Tails: 3⅜"	10 linear ft. based on ½" minimum grout joints	Box	64 lbs
			Pallet (24 boxes)	1,586 lbs*

*50 lbs added for pallet weight

These are all nominal dimensions and ranges. Actual dimensions may vary.



Technical - Limestone Hearthstone Information




Description - slate finish on top with 4 split faced edges

Note - Hearthstones are not intended for foot traffic

Package Quantity	Weight (Approx)	Product Dimensions
36 per crate	45 lbs each 1,670 lbs per crate*	19½" W 19½" L 1¾" D

*50 lbs added for crate weight



Measurement Tolerance: ¼"

Technical - Half Hearthstone Information




Description - slate finish on top with 4 split faced edges

Note - Hearthstones are not intended for foot traffic

Package Quantity	Weight (Approx)	Product Dimensions
54 per crate	30 lbs each 1,670 lbs per crate*	20" W 12" L 1 3/4" D

*50 lbs added for crate weight



Measurement Tolerance: 1/4"

Technical - 6x8 Trim Stone Information




Description - rectangular shape with split face surface

Usage - commonly used to border doors, windows, sills, header areas, and horizontal course banding

Package Quantity	Weight (Approx)	Coverage	Product Dimensions
18 pieces	100 lbs per box 2,450 lbs per crate*	9 linear ft per box	6" W 8" H 1¾" D

*50 lbs added for crate weight



Measurement Tolerance: ¼"

Technical - Limestone Row Lock Information





Description - rectangular shape with split face surface

Usage - commonly used to border doors, windows, sills, header areas, and horizontal course banding

	Package Quantity	Weight (Approx)	Coverage	Product Dimensions
Large	27 pieces	100 lbs per box 2,450 lbs per pallet*	13 linear ft. based on ½" grout joint	5½" W 7½" H 1¾" D
Small	48 pieces	85 lbs per box 2,090 lbs per pallet*	17.5 linear ft. based on ½" grout joint	4" W 5" H 1¾" D

*50 lbs added for pallet weight



Measurement Tolerance: ¼"

Technical - Flat Window Trim Information




Description - rectangular shape with split face surface

Usage - commonly used to border doors, windows, sills, header areas, and horizontal course banding

Package Quantity	Weight (Approx)	Product Dimensions
6 pieces	79 lbs per box 2,807 lbs per pallet*	22½" W 6½" H 1½" D

*50 lbs added for pallet weight



Measurement Tolerance: ¼"

Technical - Hydrant Stone Information




Description - smooth on face with chiseled surface edges, accommodates an exterior frost-free water hydrant

Usage - trim stone to be used as backer for exterior water hydrant

Package Quantity	Weight (Approx)	Product Dimensions
18 per box	5 lbs each 90 lbs per box 2,210 lbs per pallet*	6 ⁵ / ₈ " W 7 ¹ / ₂ " H 1 ³ / ₄ " D 1 ¹ / ₂ " hole dia.

*50 lbs added for pallet weight



Measurement Tolerance: 1/4"

Technical - Light Base Information




Description - smooth on face with chiseled surface edges, accommodates a 4" octagon metal box

Usage - used as a base for exterior light fixtures

Package Quantity	Weight (Approx)	Product Dimensions
12 per box	10 lbs each 120 lbs per box 2,930 lbs per pallet*	7½" W 10⅝" H 1¾" D 4½" hole dia.

*50 lbs added for pallet weight



Measurement Tolerance: ¼"


Technical - Receptacle Stone Information



Description - smooth on face with chiseled surface edges, accommodates a 2 $\frac{3}{8}$ " x 4 $\frac{1}{8}$ " metal utility box

Package Quantity	Weight (Approx)	Product Dimensions
18 per box	5 lbs each 90 lbs per box 2,210 lbs per pallet*	6 $\frac{5}{8}$ " W 7 $\frac{1}{2}$ " H 1 $\frac{3}{4}$ " D 2 $\frac{1}{2}$ " x 4 $\frac{1}{4}$ " hole

*50 lbs added for pallet weight



Measurement Tolerance: 1/4"

Technical - Limestone Cap Stone (Peaked) Information



ProVia


THE PROFESSIONAL WAY

Description - slate faced on top and long edged surfaces

Usage - commonly used to cap 8" and 12" wide entrance walls, signage walls, and dividing walls with stone attached

	Package Quantity	Weight (Approx)	Product Dimensions
Small	20 per crate	51 lbs each 1,070 lbs per crate*	12" W 20" L 2¾" D low 4" D high 1¼" wash
Medium	20 per crate	54 lbs each 1,130 lbs per crate*	14" W 20" L 2¾" D low 4" D high 1¼" wash
Large	20 per crate	63 lbs each 1,310 lbs per crate*	16" W 20" L 2¾" D low 4" D high 1¼" wash

*50 lbs added for crate weight



Measurement Tolerance: ¼"


Technical - Flat Wall Cap Information

Description - slate faced on top and long edged surfaces

Usage - commonly used to cap 8" and 12" wide entrance walls, signage walls, and dividing walls with stone attached

	Package Quantity	Weight (Approx)	Product Dimensions
Small	20 per pallet	44 lbs each 1,370 lbs per pallet*	12" W 24" L 2¼" H
Medium	20 per pallet	50 lbs each 1,550 lbs per pallet*	14" W 24" L 2¼" H
Large	20 per pallet	54 lbs each 1,670 lbs per pallet*	16" W 24" L 2¼" H

*50 lbs added for pallet weight



Measurement Tolerance: ¼"


Technical - Column Cap Information

Description - slate faced on top and long edged surfaces

Usage - commonly used to cap 8" and 12" wide entrance walls, signage walls, and dividing walls with stone attached

Package Quantity	Weight (Approx)	Product Dimensions
24 per pallet	36 lbs each 914 lbs per pallet*	14" W 14"L 2 $\frac{7}{8}$ " H
6 per pallet	120 lbs each 770 lbs per pallet*	22" W 22"L 2 $\frac{7}{8}$ " H
4 per pallet	175 lbs each 750 lbs per pallet*	31" W 31"L 2 $\frac{7}{8}$ " H

*50 lbs added for pallet weight



Measurement Tolerance: $\frac{1}{4}$ "



Technical - Shutter Block Information

Description - rectangular shape with split face surface

Usage - used as a surface to fasten shutters to directly

Package Quantity	Weight (Approx)	Product Dimensions
16 pieces	6 lbs each 2,354 lbs per pallet*	13½" W 2⅝" H 2½" D

*50 lbs added for pallet weight



Measurement Tolerance: ¼"

Technical - Large Shutter Block Information




Description - rectangular shape with split face surface

Usage - used as a surface to fasten shutters to directly

Package Quantity	Weight (Approx)	Product Dimensions
18 pieces	6.6 lbs each 2,900 lbs per pallet*	12 $\frac{7}{8}$ " W 4" H 2" D

*50 lbs added for pallet weight



Measurement Tolerance: 1/4"

Technical - Limestone Water Sills Information





Description - split faced on front surface/slate faced on wash surface

Usage - commonly used under windowsill area and to cap off wainscot

Package Quantity	Weight (Approx)	Product Dimensions
5 per box	13.4 lbs each 67 lbs per box 2,395 lbs per pallet*	23 ⁵ / ₈ " W 3" H 3" D 1" wash

*50 lbs added for pallet weight



Measurement Tolerance: 1/4"

Technical - Keystone Information




Description - smooth interior face with chiseled edge perimeter


Usage - commonly used over the center of doors, windows, arches and fireplace openings

	Package Quantity	Weight (Approx)	Product Dimensions
Large	6 per box	12 lbs each 72 lbs per box 1,779 lbs per pallet*	11½" W top 7" W bottom 11" H 1¾" D
Small	18 per box	6 lbs each 108 lbs per box 3,290 lbs per pallet*	8⅞" W top 6" W bottom 8" H 1¾" D

*50 lbs added for pallet weight



Large



Small

Measurement Tolerance: ¼"

Technical - Brick Sill




Description - rectangular shape with split face surface

Usage - commonly used to border doors, windows, sills, header areas, and horizontal course banding

Package Quantity	Weight (Approx)	Coverage	Product Dimensions
7 pieces	62 lbs per box 2,450 lbs per pallet*	14 linear ft. based on 1/2" grout joint	22" W 3 1/2" H 2" D

*50 lbs added for pallet weight



Measurement Tolerance: 1/4"