

IMPACT ENTRY DOORS

NEW FOR 2025

We rely on our trusted building professionals, contractors, and homeowners, in partnership with our experienced team, for input on exterior design trends. We're excited to introduce new options which elevate the integrity, function and beauty of our entry doors.

DECORATIVE GLASS

Aria shown on page 41



ARIA

WROUGHT IRON

Crossbuck shown on page 81



CROSSBUCK

DECORATIVE GLASSFOR 420 STYLE DOORS

Decorative glass starts on page 39



PRIVACY GLASS

Mistify shown on page 37



MISTIFY

NEW TUFTEX™SMOOTH CLADDING COLORS

All Smooth Cladding Colors shown on page 110



Café Cream



Tudor Brown



Rustic Bronze



Nightfall

SILK SCREEN GLASS

Silk screen designs shown on page 35







TRINITY EDGE BREEZE



SMOOTH SDL'S

Smooth Simulated Divided Lites shown on page 27



IMPROVED IMPACT TRIM FOR INTERNAL BLINDS

Impact trim shown on page 34



2" STANDARD RIPPABLE FUSION FRAME™ BRICKMOLD

Rippable Brickmold shown on page 8





8' TALL AND 42" WIDE LEGACY™ STEEL DOOR STYLES

8 foot steel door styles shown on page 16

PROVIA® BUILDS DOORS THE PROFESSIONAL WAY

ProVia caters to a niche within the door market that demands a high degree of customization coupled with outstanding quality. Our company defines the products that meet this demand as "professional-class." We have found success by adhering to a set of core values that guide us as we develop rewarding, long-term relationships with our employees, customers and homeowners.

WHAT MAKES PROVIA PROFESSIONAL-CLASS?

ENTRY SYSTEMS TAILORED FOR YOUR HOME

ProVia custom entry doors are built to your home's exact measurements for a precise fit, protection, security, and energy efficiency. The materials that go into our custom-made doors are premium quality and exceptionally durable, far surpassing the ready-made doors at the big-box hardware stores. Our craftsmanship and care for details can be seen in each door we produce.



SECURITY | We ensure the strength and security of every door, so you have peace of mind.



DURABILITY | Crafted with the finest materials and backed by our Lifetime Limited Transferable Warranty, the durability of our products can't be beat.



BEAUTY | A beautiful ProVia entry system will always greet your guests with classic elegance and style.



ENERGY EFFICIENCY | Engineered to keep the elements at bay and your home comfortable year round.

INDUSTRY ASSOCIATIONS

ProVia actively engages with leading industry organizations such as the Window & Door Manufacturers Association (WDMA), the Fenestration and Glazing Industry Alliance (FGIA), and the National Fenestration Rating Council (NFRC).



Through its membership it WDMA, ProVia collaborates on standards and advocacy efforts to advance the window and door industry.



Involvement with FGIA allows ProVia to stay at the forefront of glazing and fenestration technology, benefiting from shared research and best practices.



ProVia's participation in NFRC ensures that, through voluntary third-party testing, their products meet rigorus energy performance and rating standards, reflecting their commitment to sustainability and quality.





ENTRY DOORS

| Components | 5-8 |
|-------------------------------|----------|
| Signet® Fiberglass Features | |
| Simulated Divided Panels | |
| | |
| Legacy™ Steel Features | |
| Heritage™ Fiberglass Features | |
| 8' Doors | |
| Door Features | |
| French Doors | |
| Hinged Patio Doors | |
| Turtle Glass | |
| ComforTech™ | |
| Simulated Divided Lites | |
| Internal Grids | |
| External Grids | 32 |
| White Impact Blinds | 33 |
| Impact Trim | 34 |
| Silk Screen Glass | 35 |
| Privacy Glass | 36 |
| Decorative Glass | |
| Aria | 41 |
| Brookhaven | |
| Carlisle | |
| Carrington | |
| Constance | |
| Eclipse | |
| Esmond | |
| Essence | |
| | |
| Florence | |
| Gemstone | |
| Genesis | |
| Laurence | |
| Manhattan | |
| Mirage | |
| Somerset | |
| Symphony | |
| Tacoma | 73 |
| Tranquility | 75 |
| Barcelona | 77 |
| Carmen | 79 |
| Crossbuck | 81 |
| Art Glass | 83-86 |
| | |
| NISHING TOUCHES | |
| Stain Finishes | |
| Paint Finishes | |
| Hardware | 95-107 |
| Accessories | |
| Casing and Cladding | 110 |
| | |
| TORM DOORS | |
| Storm Doors | .113-118 |


UNDERSTANDING IMPACT ENTRY DOORS



Impact-rated entry doors play a crucial role in enhancing the safety and resilience of homes and buildings against adverse weather conditions and potential intrusions. These doors are specifically designed and tested to withstand the impact of severe storms, hurricanes, and other extreme weather events, providing homeowners with a reliable barrier against the forces of nature. Beyond their robust construction, impact-rated entry doors also contribute to energy efficiency and offer aesthetic appeal, making them a practical and visually appealing choice for those seeking a combination of durability and style in their home security solutions.

WINDSPEED MAP FOR RISK CATEGORY II:

8TH EDITION: FLORIDA BUILDING CODE





TEXAS DEPARTMENT OF INSURANCE (TDI) CERTIFICATION

All ProVia Impact / Wind Load rated doors hold a 3rd party evaluation report which meet TDI requirements. Customers in Texas can access TDI product evaluations for ProVia doors in entryLINK.

ENERGY AND PERFORMANCE



COMPLIANCE

Impact-rated entry doors, designed to withstand severe weather conditions, are subject to labeling requirements set by two prominent organizations: the National Fenestration Rating Council (NFRC) and the National Accreditation and Management Institute (NAMI). The NFRC focuses on providingstandardized ratings for the energy performance of windows, doors, and skylights, ensuring that consumers have reliable information to make informed decisions. NAMI, on the other hand, is a third party Independent Accreditation Agency.

Both organizations play a crucial role in establishing and verifying the performance standards of impact-rated entry doors. Meeting the labeling requirements of NFRC and NAMI assures consumers that these doors have undergone rigorous testing and adhere to industry-recognized standards, providing a transparent and trustworthy means of assessing their quality and performance.

PROVIA® ENERGY COMPLIANCE



THE **COMPONENTS**



The components are the small things that set our doors apart from the competition. A lot of small things add up to a big difference.



Legacy™ Smooth 460 entry door with one sidelite in Eucalyptus with Genesis decorative glass and Emtek® Select hardware in Satin Nickel/Black





- Your home is unique and deserves to have **custom glass options** like our ComforTech™ Warm Edge Glazing Systems which include decorative glass, art glass, internal blinds and internal and external grids in many grid patterns and colors.
 - Impact Shield doors feature laminated glass.



- Our 2½" casing conveniently covers paint lines providing a professional installation. Also available in 3½". Choose from Cherry, Mahogany, Oak and Poplar. Flat Fir and Poplar trim are available in paint, stain and glazed finishes.
- Glass trim is available in different textures and styles to best complement each door with glass. Trim options will be determined based on the door style chosen. All glass trim falls into one of two main categories: Flat and Contoured.

- The **Z-AC threshold** has an auto-adjusting riser and built-in sealing system that redefines how your door can perform for you. Standard on Signet® and Legacy.
 - **Automatically adjusts** to your entry door's changing needs over time, eliminating service calls
 - Delivers **protection** against air and water infiltration







Three heavy-duty ball bearing hinges come standard with every entry system. Additional 4th hinge option for greater durability.

A 4th hinge is standard on 8' doors.



The energy-efficient **weatherstripping** runs along the top and sides of the door and interlocks with the CornerShield[™] for the most efficient seal you'll find for keeping moisture, wind and dirt out of your home.





for extra strength and to help prevent kick-ins.







The **dust box** in the deadbolt strike provides a barrier to air infiltration while providing a nice appearance that most other door manufacturers don't provide. An exclusively designed **fully adjustable strike plate** is included. This unique 2-piece construction makes our doors easier to custom fit.

Bulb and dual blade sweep virtually eliminates drafts, keeping your home comfortable.



FRAME OPTIONS



FrameSaver®

FrameSaver wood frame and brickmold with finger-jointed composite bottom prevents water absorption and carries a Lifetime Limited Warranty when used with aluminum frame cladding on the exterior.

Available with Textured or Tuftex™ Smooth cladding.







PermaTech™

Our **PermaTech Composite door frame system** option combines all the strength and convenience of wood with enhanced properties that make it moisture and insect resistant. PermaTech will not absorb or wick moisture and will never rot or splinter, and is covered by a Lifetime Limited Warranty.*

* No storm door applied. See full warranty for limitations.



FusionFrame[™]

FusionFrame: A one-of-a-kind alternative to composite or wood jambs, this component utilizes the strength of an LVL interior, the rot-proof performance of a FrameSaver bottom, and the durability of a composite frame exterior. Offering a lifetime jamb warranty*.

PREFINISHED, MAINTENANCE-FREE

Available as a textured or smooth frame, providing you with the benefit of a prefinished, maintenancefree system, along with the beauty of a stain or paint finish that matches your entry door.

Not available for outswing doors. See entryLINK for complete limitations and restrictions.

*Finish warranty will match the finish warranty of door series

3½" Flat Rippable Brickmold



FLOATING BRICKMOLD

Even if your walls aren't plumb, your door unit can be. With 1/4" of "float," the floating brickmold adjusts to fit your needs. Remove covers, install fasteners and reattach covers for a flawless, clean install.

2" Standard Rippable Brickmold

 $3\frac{1}{2}$ " * Flat Rippable Brickmold to 2" or 2" Standard Rippable Brickmold to 1%"

*Ripping brickmold produces a rough-cut edge which will be painted or stained, but not exactly atch the original textured or smooth finish.



INSTALLATION HOLES

Pre-drilled holes in frame for ease of installation.

ADDITIONAL OPTIONS

Mull Cover for 1" Build-Up

Transom Cover 4%6" up to 6%6" jambs









COMPOSITE BOTTOM

Prevents water absorption, warping and rotting.

PLUMB INDICATOR

Removable frame stop cover allows for concealed plumb indicator and fasteners.

- Installation made easy
- Removable frame and brickmold covers
- Eliminates unsightly fastener holes

ULTIMATE FLEXIBILITY

Get ultimate flexibility between 4% and 8% frame widths.



Signet Oak entry door in Truffle stain with matching Textured Fusion Frame featuring Schlage® Addison hardware in Black

SIGNET® FIBERGLASS



Signet Fiberglass doors are available in Mahogany, Cherry, Oak, Knotty Alder, Fir and Smooth Series. Structurally, the Signet door is far superior to traditional fiberglass doors with robust hardwood stiles and rails dovetailed at each corner. All Signet Fiberglass doors exhibit our exclusive DuraFuse™ Finishing System featuring P³ Fusion, allowing us to offer an industry-best 15-year* finish warranty.

SIGNET SKIN OPTIONS















CUSTOM WIDTHS & HEIGHTS Need a little more height or a little less

width? We offer customized door and sidelite widths and heights in 1/4" increments.



CUSTOMIZE BOTH SIDES

You can customize your entry by ordering a different series, style and finish on each side of your door.





Most Signet Fiberglass Entry Systems are ENERGY STAR® Certified.


15-YEAR FINISH WARRANTY*

See pgs. 87-92 for paint and stain finishes.

SIGNET FIBERGLASS DOOR STYLES







- Signet Cherry
- Signet Mahogany
- Signet Oak Signet Knotty Alder
- Signet Fir
 Signet Smooth
- Available in 30" Single or 60" French Doors

Entry System U-Factor: As low as .16 (Tested to NFRC specifications for a 6 panel door with wood frame). Note: All Signet doors are shipped finished.

Warranty time period may be limited in extreme applications. See warranty for details.

Patents - USD617005, USD621062, USD621063, USD625837, USD625024




SIGNET® SMOOTH & FIR PANEL STYLES



For a stylish and modern look, Simulated Divided Panel fiberglass doors feature 3" and 5"wide panels applied to the surface of glass on 460 style Smooth or Fir doors. They may also be applied directly on the skin of a Smooth or Fir 001 style door. Numerous configurations and endless paint, glaze or stain colors allow you to create a door design that is contemporary, sophisticated and on-trend.

Available in Signet Fir or Smooth with Clear glass or Privacy glass. Simulated Divided Panel designs cannot be customized.





LEGACYTM



Legacy Steel features add up to a professional-class product. Whether you select Legacy Woodgrain Textured Steel or Smooth Steel, our entry systems will provide an elegant, durable and energy efficient addition to any home.

LEGACY SKIN OPTIONS











CUSTOM WIDTHS & HEIGHTS

Need a little more height or a little less width? We offer customized door and sidelite widths and heights in 1/8" increments.



CUSTOMIZE BOTH SIDES

You can customize your entry by ordering a different series, style and finish on each side of your door.




Most Legacy Steel Entry Systems are ENERGY STAR® Certified.


10-YEAR FINISH WARRANTY*

See pgs. 87-92 for paint and stain finishes.

LEGACY STEEL DOOR STYLES



SIDELITES



- O 20-gauge Woodgrain Textured Steel
- ♦ 20-gauge Smooth Steel
- 20-gauge Smooth Steel with High-Definition Embossing
- ▲ 24-gauge Smooth or Textured Steel (used with all 20-gauge doors)
- 20-gauge Smooth Shaker
- Available in 30" Single or 60" French Doors

Entry System U-Factor: As low as .17 (Tested to NFRC specifications for a 6 panel door with wood frame).

- Warranty time period may be limited in extreme applications. See warranty for details.
- † Patent USD621062
- ▲ NOT available as an Impact Shield product



Composite top endcaps increase rigidity and energy efficiency.



Special adhesives/thermal barrier reduce heat and cold transfer, while our exclusive tab and slot system of mechanical interlocks gives the door exceptional structural strength.

ProVia® doors are **foam filled by a computer driven process** that ensures
the optimal foam fill for
maximum energy efficiency
and strength.

The edges and face skin of our steel doors are **one continuous piece of steel** for strength and durability.

Plugless Glass Trim is

optional on Legacy Steel. (see entryLINK for available styles) U.S. Patent: 9,562,389 U.S. Patent: 9,976,338

> **Z-AC Threshold** with **auto-adjusting riser.** Standard with aluminum mill finish.



Our 20-gauge steel doors give you **49% more galvannealed steel** than a standard 24-gauge door.

Composite bottom endcaps increase rigidity and energy efficiency.

HERITAGE™ FIBERGLASS



Heritage Fiberglass doors feature enhanced woodgrain texture, improved definition embossing and a hardwood edge to prevent warping.

HERITAGE SKIN OPTIONS





Polyurethane core reduces energy loss.

Improved definition panel profile creates excellent shadow lines and distinct panel designs.

Specially engineered fiberglass door facings will not dent and resist splitting, cracking and warping.

1%" Finger-jointed, 2-ply solid oak laminated stiles

for both hinge and strike sides are proven to provide increased rigidity and structural integrity.

> Variable-depth woodgrain texture with hand-applied stain imitates a wood door appearance.

Square-edge design offers an attractive wood door appearance.

Lock area is reinforced to provide a solid mounting surface for decorative hardware.


> A high-performance, composite material is used on all Heritage fiberglass bottom rails, giving excellent rot-resistance.

Plugless Glass Trim is

optional on Heritage Fiberglass. (see entryLINK for available styles) U.S. Patent: 9,562,389 U.S. Patent: 9,976,338

ZAI threshold has a manuallyadjustable riser with complementary screw cover caps. Standard with aluminum mill finish

HERITAGE FIBERGLASS DOOR STYLES



Smooth Fiberglass Available in 30" Single or 60" French Doors

Entry System U-Factor: As low as .14 (Tested to NFRC specifications for a 6 panel door with wood frame). Warranty time period may be limited in extreme applications. See warranty for details.



CUSTOM HEIGHTS

Need a little more or a little less height? We offer customized door and sidelite heights in 1/8" increments.



Refer to entryLink for all ENERGY STAR® certified products.

10-YEAR FINISH WARRANTY*


See pgs. 87-92 for paint and stain finishes.

8' SIGNET, HERITAGE, & LEGACY DOORS



Taller than standard doors, 8' doors provide a majestic first impression. Choose from many available glass and door styles. Multi-point hardware is required on all 8' fiberglass doors. See pages 97-100 for more information on PanoLock® Plus, and Trilennium® hardware.


SIGNET® FIBERGLASS® DOOR STYLES



Entry System U-Factor: As low as .16 (Tested to NFRC specifications for a 6 panel door with wood frame). Note: All Signet doors are shipped finished.

- Warranty time period may be limited in extreme applications. See warranty for details.
 Patents USD617005, USD621062, USD621063, USD625837, USD625024

HERITAGE™ FIBERGLASS DOOR STYLES




- Oak Grain Smooth Fiberglass

Entry System U-Factor: As low as .14 (Tested to NFRC specifications for a 6 panel door with wood frame).

* Warranty time period may be limited in extreme applications. See

LEGACY STEEL DOOR STYLES



- Entry System U-Factor: As low as .17 (Tested to NFRC
- Warranty time period may be limited in extreme applications. See warranty for details.
- Patent USD621062

DOOR SERIES COMPARISON CHART



| | SIGNET® FIBERGLASS | HERITAGE™ FIBERGLASS | LEGACY™ STEEL |
|---------------------------------------|---|--|--|
| Entry Door Slab | | | |
| Slab Thickness | 1¾" | 13/4" | 1¾" |
| Strike Stile | 4¼" Finger-Jointed 4-ply Hardwood | 1½" Finger-Jointed, 2-Ply Solid Oak Laminated | Exclusive Steel Tab and Slot System |
| Hinge Stile | 2%" Finger-Jointed 3-ply Hardwood | 1%" Finger-Jointed, 2-Ply Solid Oak Laminated | Exclusive Steel Tab and Slot System |
| Top/Bottom Rail | Wood / Composite | Wood / Composite | Composite |
| Stile and Rail Construction | Dovetailed & Glued | Nailed & Glued | Exclusive Steel Tab and Slot System |
| Glazing Package | Double, Triple | Double, Triple | Double, Triple |
| Woodgrain Texture | Nickle Vapor Deposition Technology | High Definition | Standard Definition |
| Strike and Hinge Door Edge | Skin Species | Oak | All Steel Advantage |
| Skin Species Availability | Mahogany, Cherry, Oak, Knotty Alder, Fir & Smooth | Oak & Smooth | Woodgrain (Oak) & Smooth |
| Paint Finishing System | 5-Step DuraFuse System Featuring P³ Fusion | 4-Step System | 4-Step System |
| Stain Finishing System | 7-Step DuraFuse System Featuring P ³ Fusion | 5-Step System | 5-Step System |
| Window Trim | Heat Resistant, Plugless Standard | Heat Resistant, Plugless Optional | Heat Resistant, Plugless Optional |
| Paint Colors | 19 Standard, 14 Trending | 19 Standard, 14 Trending | 19 Standard, 14 Trending |
| Stain Finishes | 20 Finishes | 7 Finishes | 7 Finishes |
| Glazed Finishes | 7 Finishes | N/A | N/A |
| Custom & Trending Finish Availability | Custom Paint, Custom Stains Trending Colors | Custom Paint Trending Colors | Custom Paint Trending Colors |
| Custom Sizing | ⅓" Width & Height | ⅓" Height | 1/8" Width & Height |

| Impact | | | |
|-------------------|--------------------------|-------------------|-------------------------|
| Product Approvals | Included in Quote | Included in Quote | Included in Quote |
| Laminated Glass | .90 PVB, 5/16" Laminate* | None | .90 PVB, 5/16" Laminate |
| Impact Glazed | Yes | No | Yes |
| Impact Opaque | Yes | Yes | Yes |
| Windload | Yes | Yes | Yes |

^{*}Not a standard option. Must upgrade to laminated glass.

| | SIGNET® | HERITAGE™ | LEGACY™ |
|------------------------------|--|--|--|
| | FIBERGLASS | FIBERGLASS | STEEL |
| Entry Door System Components | | | |
| Threshold Type | Z-AC Threshold with auto-adjusting riser | ZAI Threshold manually-adjustable riser | Z-AC Threshold with auto-adjusting riser |
| Security Plate | 20-Gauge Steel | 20-Gauge Steel | 20-Gauge Steel |
| Adjustable Strike Plate | Exclusive Solid Brass with | Exclusive Solid Brass with | Exclusive Solid Brass with |
| | Dust Box | Dust Box | Dust Box |
| Sweep Type | Bulb and Blade | Bulb and Blade | Bulb and Blade |
| Hinge Type | Heavy-Duty Ball Bearing | Heavy-Duty Ball Bearing | Heavy-Duty Ball Bearing |
| | Hinges | Hinges | Hinges |
| Weatherstripping | Energy Efficient | Energy Efficient | Energy Efficient |
| | Weatherstripping with | Weatherstripping with | Weatherstripping with |
| | CornerShield | CornerShield | CornerShield |
| Interior Jamb Type | 4% FrameSaver, Laminated | 4%" FrameSaver, Painted | 4% FrameSaver, Painted |
| | Stained/Painted Color | Color Matched Interior | Color Matched Interior |
| | Matched Interior Jamb | Jamb | Jamb |

| Warranties | | | |
|---|----------|----------|----------|
| Paint and Stain Warranty* | 15-year | 10-year | 10-year |
| Window Trim Warranty* | 15-year | 10-year | 10-year |
| Jamb Warranty* | Lifetime | Lifetime | Lifetime |
| Slab Warranty* | Lifetime | Lifetime | Lifetime |
| Glass Warranty (Includes Glass Breakage Warranty)* | Lifetime | Lifetime | Lifetime |

^{*}Some restrictions and exclusions apply. See warranty for details.

FRENCH DOORS



French doors make an elegant statement like nothing else. Express your personality by creating a simple yet striking entry. Make it as ornate and beautiful as you like.

FRENCH DOOR DETAILS

- All door styles are available as a French Door
- Hinged on each end with door knobs in the center
- Available with either left or right active door (main entryway)
- Center astragal is attached to the inactive door and includes top and bottom slide bolts (used to open inactive door)
- Available as inswing or outswing
- Header security plate standard on frame
- Hardware Installation: locksets, deadbolts and kickplates will be installed on active and inactive doors, all other hardware on active door only
- Available with Trilennium® and PanoLock® Plus multi-point hardware

HURRICANE ASTRAGAL DETAILS









The hurricane push button astragal delivers consistent, trusted performance in one cost-effective solution. Each of the astragal's auto-locking flush bolts are secured in place with the simple push of a button for lasting, secure performance and easy use of the inactive door panel.


The astragal features a spring-loaded retractable boot that clears the threshold when the flush bolt is retracted and seals against the sill cap when the bolt is engaged for damage-free performance and lasting sealing power over time. In addition to the floating boot, this hurricane astragal system features a solid, one-piece flush bolt that prevents unlocking from the outside of your home.

STYLES/CONFIGURATIONS

All door styles are available as a French Door.









UNEQUAL FRENCH DOORS

Unequal french doors allow you to use the larger entry door day-to-day, yet have the option to open the smaller, inactive door to gain full access.

Available in Signet® and Legacy™ smooth. Internal blind sizes are limited.



HINGED PATIO DOORS



Hinged Patio Doors are swinging patio door systems available in 2 or 3-lite units and constructed of the same solid quality Signet® and Heritage™ Fiberglass, and Legacy™ Woodgrain Textured or Smooth Steel doors as our entry door units.

Hinged Patio Doors with Heritage Fiberglass are NOT available in Certified Wind Load regions.



PATIO DOOR **STANDARD FEATURES**



A keyed Schlage Flair handleset with a Maximum Security Thumbturn deadbolt is included. Choose from Bright Brass, Antique Brass, Satin Nickel or Black finish.



The lock area is reinforced with a **20-gauge steel security plate** for added strength.



Spring-loaded latch system automatically engages upon closing. Latch also includes interior locking feature. **BetterVue® fiberglass screen mesh** is standard. Heavy-duty fiberglass, aluminum or SeeVue® stainless steel screen is optional.



Suspended by ball bearing rollers this **top-hung heavy-duty aluminum screen frame** reduces binding, creating effortless operation. Screen frames are available in all standard paint colors.



Anodized Bronze Finish.

OPTIONS


Custom Widths and Heights - Need a little more height or a little less width? We are pleased to offer customized patio door widths and heights in $\frac{1}{2}$ " increments.

Door Swing - (Doors viewed from above. Inswing only.)

Finishes - Patio doors are available in all finishes shown on pages 94-97.

* Optional Aluminum Frame Cladding will increase brickmold to brickmold width by %" and height by %". Not all sizes available in all door types.

DOOR SWING



UNDERSTANDING LAMINATED GLASS



HOW IT'S MADE

Laminated glass is two or more lites of glass permanently bonded together with one or more polymer interlayers using heat and pressure. The glass and interlayers are available in a variety of colors and thicknesses which provide the desired appearance and performance to meet the relevant building code standards and customer requirements.

Laminated glass products are suitable for today's demanding architectural applications such as: noise reduction, hurricane impact-resistance, blast mitigation, forced entry, protection from broken glass – or a combination of these.

BENEFITS



SAFETY AND REDUCED RISK OF INJURY

Glass is often laminated to protect people from glass breakage. Under sufficient impact force, laminated glass will break. Glass fragments tend to adhere to the plastic interlayer and remain largely intact, reducing the risk of injury. Laminated glass can also be considered "safety glass".

SOUND CONTROL



Acoustic insulating glass adds **noise reduction to other benefits of laminated safety glass**, helping to reduce noise levels so that people can be more comfortable in their living spaces. Outdoor-Indoor Transmission Class (OITC) is used for measuring the sound transmission loss of exterior glazing applications. Laminated glass tends to produce higher OITC ratings because the PVB laminate dampens vibration and the air space limits sound transmission.




UV PROTECTION

Laminated glass can absorb up to 99% of damaging UV rays which can be responsible for up to 50% of fading on interior furnishings. This protection means that interior surfaces and furniture are likely to last longer.



SECURITY

Heat strengthened and tempered glass can be incorporated into laminated glass units to further strengthen the impact resistance. This type of laminated glass is often specified for applications where anti-intrusion or forced-entry security are concerns, ballistic and blast mitigation, and hail protection.



All information on this page is derived from the Guardian glass website.

TURTLE GLASS



The state of Florida implemented Section 161.163, Florida Statutes, which requires the Florida Department of Environmental Protection to designate coastal areas utilized, or likely to be utilized, by sea turtles for nesting. This statute establishes guidelines for local government regulations that control beachfront lighting to protect hatching sea turtles. 45% is the Florida standard as stated in the model code.

https://myfwc.com/conservation/you-conserve/ lighting/ordinances/

ProVia® Insulated Glass Units (IGU's) can meet turtle glass requirements by utilizing gray tint and low-E coatings. Please refer to entryLINK for turtle glass compliant IGU's.



SEA TURTLE LIGHTING ORDINANCE MAP - FLORIDA



COMFOR**TECH**™



Measurably improve thermal performance with the ComforTech™ Warm Edge Glazing System. You'll enjoy better energy efficiency and a warmer glass edge.





COMFORTECH WARM EDGE GLAZING SYSTEM IS INCLUDED IN ALL:

- Decorative and Wrought-Iron Glass
- Privacy and Silk Screen Glass
- Art Glass

- Clear Glass
- Grids (Internal, External and SDL)

WIND LOAD GLAZING SYSTEM OPTIONS



ComforTech **TLK**ComforTech **TLK-UV**





ComforTech **TLA**ComforTech **TLA-UV**





ComforTech **DLA**ComforTech **DLA-UV**





ComforTech **DC**



R-Value reflects properties of the glass only.

Center of glass calculations are based upon software from Lawrence Berkeley National Laboratory.

COMFORTECH IMPACT SHIELD LAMINATED GLASS PACKAGES

Laminated Glass High Performance Low-E Krypton Gas Super Spacer®

ComforTech **TLK-C** ComforTech **TLK-UV-C**



R-Value of 6



ComforTech **DLA-C**ComforTech **DLA-UV-C**

0000000

R-Value of 4



ComforTech **TLA-C**ComforTech **TLA-UV-C**

00000000

R-Value of 5



ComforTech DC-C

00000000

R-Value of 2


Understanding the Acronyms

- T Triple Glazed
- **D** Double Glazed
- L Low E
- C Clear
- A Argon
- **K** Krypton
- **E** Elevation (no gas)
- **UV** Ultraviolet

R-Value reflects properties of the glass only. Center of glass calculations are based upon software from Lawrence Berkeley National Laboratory.

LIFETIME LIMITED WARRANTY

Includes Glass Breakage and Seal Failure



SIMULATED DIVIDED LITES



Simulated Divided Lites (SDL) are reminiscent of old world craftsmanship when separate pieces of glass were mulled together with wooden grids. We deliver that same stunning appearance through our high-tech fiberglass 1" wide x $^{11}/_{22}$ " thick grids combined with the energy efficient qualities of our ComforTech $^{\text{TM}}$ glass packages.









CRAFTSMANOnly available for Signet® Fir Series and Signet 420 Smooth.

CONTOUREDAvailable for all Signet series except Fir.

BEVELED GLASSEach piece of beveled glass is secured with caming for the

is secured with caming for the beautiful look of a true divided light, with the efficiency of a single doorlight.

SMOOTH SDL'S

Now available with smooth trim in the Signet Smooth Series, completing the sleek, contemporary look.

SIMULATED DIVIDED LITES STYLE AVAILABILITY

(See pages 9-16 for Impact Shield & Windload availability)

| | Doors | | | | | Sidelites | | | | | | 8' D | 8' Sidelites | | | | | |
|--|-------|-----|-----|-----|-----|-----------|-----|-----|-----|-----|-----|------|--------------|-----|-----|-----|-----|-----|
| | 460 | 440 | 449 | 430 | 420 | 419 | 230 | 240 | 160 | 140 | 130 | 120 | 440 | 420 | 430 | 437 | 140 | 120 |
| Signet Mahogany Fiberglass | • | • | | • | | • | | | • | • | • | | | | | | | |
| Signet Cherry Fiberglass | • | • | • | • | | • | | | • | • | • | | * | | | | * | |
| Signet Oak Fiberglass | • | • | | • | | • | | | • | • | • | | | | | | | |
| Signet Fir Fiberglass | | | | | • | | | | • | | | • | | • | | | | • |
| Signet Knotty Alder Fiberglass | • | | | • | | | | | • | | | | | | * | * | * | |
| Signet Smooth Fiberglass | • | • | | | | | | | • | • | | | | | | | | |
| Heritage Woodgrain Textured Fiberglass 🔺 | • | • | | • | | | • | | • | • | • | | | | • | | | |
| Heritage Smooth Fiberglass ▲ | • | • | | | | | • | | • | • | • | | | | • | | | |
| 20-Gauge Woodgrain Textured Steel 🔺 | • | • | | • | | | | • | • | • | • | | | | • | | | |
| 20-Gauge Smooth Steel ▲ | • | • | | • | | | • | • | • | • | • | | | | • | | | |
| | | | | | | | | | | | | | | | | | | |



All entry systems with Simulated Divided Lites can be ENERGY STAR® Certified depending on the glazing system you choose. See entryLINK for which glazing system is required for ENERGY STAR certification, as well as for availability.

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

 Δ Not Available with beveled glass

[▲] Requires plugless trim




INTERNAL GRIDS






INTERNAL GRID **OPTIONS**










CONTOURED GRID COLORS AND STAINS



TWO-TONE CONTOURED GRIDS

SIDE #1 Café Cream Sandpiper Beige Sandstone Forest Green Mountain Berry Coal Black Honey Wheat / Light Oak American Cherry Toffee Would be a single beige Sandstone Sandpiper Beige Sandstone Forest Green Mountain Berry Coal Black Honey Wheat / Light Oak American Cherry Toffee Would be a single beige Sandstone Sandpiper Beige Sandstone Forest Green Mountain Berry Coal Black Honey Wheat / Light Oak American Cherry Toffee Would be a single beige Sandstone Sandpiper Beige Sandstone Forest Green Mountain Berry Coal Black Honey Wheat / Light Oak American Cherry Toffee Would be a single beige Sandstone Sandpiper Beige Sandstone Forest Green Mountain Berry Coal Black Honey Wheat / Light Oak American Cherry Toffee Would be a single beige Sandstone Sandpiper Beige Sandstone Forest Green Mountain Berry Coal Black Honey Wheat / Light Oak American Cherry Toffee

^{*}Pencil Grids are not available in Single Prairie Grids on some doors and transoms.




TRANSOMS




















INTERNAL GRIDS continued





- § Also available in 10" width.
- **②** Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions
- In Certified Wind Load region, indicated transoms must be installed in a separate opening or use approved engineering mulls





INTERNAL GRIDS STYLE AVAILABILITY

| | | | | | Do | ors | | | | | | Sic | delit | tes | | | 8' | Do | ors | | | 8' Si | delit | es |
|-----------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----|-----|-----|-----|-----|-----|-----|-----|-------|-------|--------|
| | 460 | 449 | 440 | 437 | 430 | 240 | 230 | 420 | 419 | 400 | 770 | 160 | 140 | 130 | 120 | 460 | 420 | 440 | 430 | 437 | 160 | 140 | 130 1 | 20 770 |
| Signet Mahogany Series | • | | • | | • | | | | • | | • | • | • | • | | | | | | | | | | |
| Signet Cherry Series | • | • | • | | • | | | | • | | • | • | • | • | | | | * | | | | * | | * |
| Signet Oak Series | • | | • | | • | | | | • | | • | • | • | • | | | | | | | | | | |
| Signet Fir Series | • | | | | | | | • | | | • | • | | | • | • | • | | | | • | | | • |
| Signet Knotty Alder Series | • | | | | • | | | | | | • | • | | | | | | | * | * | | * | | * |
| Signet Smooth Series | • | | • | | | | | • | | | • | • | • | | | • | | | | | • | | | |
| Heritage Textured Fiberglass | • | | • | | • | | • | • | • | • | • | • | • | • | | • | | | • | | • | | • | • |
| Heritage Smooth Fiberglass | • | | • | | • | | • | • | • | • | • | • | • | • | | • | | | • | | • | | • | • |
| 20-Gauge Woodgrain Textured Steel | • | | • | • | • | • | | • | • | • | • | 0 | 0 | 0 | | | | | | | | | | |
| 20-Gauge Smooth Steel | • | | • | • | • | • | • | • | • | • | • | 0 | 0 | 0 | | • | | | • | | • | | • | • |
| | | | | | | | | | | | | | | | | | | | | | | | | |




All entry systems with Internal Grids can be ENERGY STAR® Certified depending on the glazing system you choose. See entryLINK for which glazing system is required for ENERGY STAR certification, as well as for availability.

o Steel sidelites are made from 24-Gauge steel

EXTERNAL GRIDS







External grids will match the door's paint or stain color.

EXTERNAL GRID STYLE AVAILABILITY

| | | Side | lites | | | | | |
|--|-----|------|-------|-----|-----|-----|-----|-----|
| | 460 | 430 | 439 | 230 | 410 | 400 | 160 | 130 |
| Heritage Woodgrain Textured Fiberglass | • | • | • | | • | • | • | • |
| Heritage Smooth Fiberglass | • | • | • | | • | • | • | • |
| 20-Gauge Woodgrain Textured Steel | • | • | • | | • | • | 0 | 0 |
| 20-Gauge Smooth Steel | • | • | • | • | • | • | 0 | 0 |
| | | | | | | | | |




LIFETIME LIMITED WARRANTY

 $[\]Delta$ Not available in 1" ComforTech Glazing System. Also, window trim screw plugs are not available for this door style. o Steel sidelites are made from 24-Gauge steel

WHITE IMPACT BLINDS





Internal blinds are a convenient option for blocking harsh sunlight and increasing privacy on entry doors and patio doors. Constructed with sturdy aluminum and enclosed in tempered safety glass, the blinds are protected from weathering, damage, and dust and they are not a hindrance to cleaning your glass.



AVAILABLE DOOR STYLES

Available with clear glass and internal grids.





† For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)

FEATURES

- Ergo track on glass
- Eliminated slat/privacy channel gap
- U-Privacy channels (side, top & bottom) eliminate light gaps, shadows and sunlight glare
- Full tilt closure (top to bottom) allows the blinds to tilt completely closed keeping unwanted light out



Available as an Impact Shield rated product and tested for Certified Windload Regions.

IMPACT TRIM FOR INTERNAL BLINDS



FEATURES

- Extruded uPVC welded frame
- $\bullet \quad \text{Low } \ensuremath{^{3}\!\!/\!\!\!8}"$ flat frame and cover cap profiles
- Meets Florida severe weather requirements +/- 60 DP design pressure
- Available in White



SILK SCREEN GLASS



These designs provide enhanced privacy while adding a touch of elegance and appeal. The intricate patterns not only ensure seclusion but also elevate the overall aesthetic of your entryway. Combine functionality with stylish design to create a welcoming and refined first impression for your home.



TRINITY
ProVia® Proprietary Design




EDGE



BREEZE ProVia Proprietary Design

AVAILABLE DOOR STYLES



Frosted areas of silk screen glass have a privacy rating of 9.

PRIVACY GLASS



Privacy glass ensures a high level of obscurement but allows soft light to filter in and illuminate a space.

PRIVACY RATING SCALE

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy



CHINCHILLA | 8



FROSTED | 9



GLUECHIP | 8



OBSCURE | 8









WATERFALL | 9



*MISTIFY | 6


These photos were taken with objects directly behind the privacy glass in a well-lit space. Actual privacy levels will vary depending on your distance from the glass and the amount of light in the room in comparison to the light outside your home.


For extra privacy, contact customer service to add an extra pane of privacy glass to your door or window order.

Double privacy glass is an option for SDP doors and this is set up in entryLINK.

* Mistify privacy glass only available on select door styles. See entryLINK for details.







Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure

Note

- Privacy glass is available with:
 Simulated Divided Panels (pg. 11)
- Simulated Divided Lites (pg. 27)
- Internal Grids (pg. 29)
- External Grids (see pg 32)

See entryLINK for which glazing system is required for ENERGY STAR® certification, as well as for availability.

- † For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)
- § Available in 10" width
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions
- lacktriangle Only available with Modern Flat Glass Trim. Only available with 770 sidelite(s) or 160 sidelite(s) with Modern Flat Glass Trim.

DECORATIVE GLASS

Decorative glass is unique in that it achieves its personality and beauty through aesthetic imperfections – waves, striations, and air bubbles that create natural effects and singular characteristics. ProVia® decorative glass mimics the hand-made sheet glass of centuries past, and these stunning ornamental designs elevate the look of entry doors and windows, boosting the curb appeal of your home.

All ProVia decorative glass designs include the ComforTech™ Warm Edge Glazing System, which measurably improves its thermal performance and energy efficiency. Impact Shield laminated glass reinforcement is available as an upgrade, fortifying the decorative glass to withstand windborne storm debris and repeated blows.



ProVia Exclusive

These decorative glass designs are only found on ProVia products. This gives your home a unique style that can't be found anywhere else.

Wrought Iron designs (shown on pages 83-88) are not ProVia exclusive designs.



Covered by a Lifetime Limited Warranty

Warranty includes glass breakage and seal failure.



Watch the Decorative Glass creation process here!



For more styles and configurations, visit provia.com or scan this code.







Small hammered and micro granite privacy glass and elegant patina or zinc caming borders envelop a handsome jewelshaped beveled glass center.

CAMING FINISH

Zinc

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY





























 $[\]begin{tabular}{ll} \uparrow For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) \\ \end{tabular}$



BROOKHAVEN

DECORATIVE GLASS

Brookhaven is accented with gray tint glass, giving it a subtle hint of color. The hammered glass delivers some privacy and is accentuated with clear beveled and microcubed glass throughout.

CAMING FINISH



PRIVACY RATING

1 2 3 4 5 6 7 **8** 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Brookhaven Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.










































- † For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)

 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

[§] Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern



CARLISLE

DECORATIVE GLASS

Ornamental flourishes paired with clear bevels and arctic and seedy glass give Carlisle a warm, graceful and hospitable design.

CAMING FINISH



PRIVACY RATING

1 2 3 4 5 6 **7** 8 9 10

more privacy

less privacy

more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Carlisle Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.




































- † For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)

 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

[§] Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
Requires an additional 6-week lead time



CARRINGTON

DECORATIVE GLASS

Carrington features small hammered, flat seedy and clear bevels in an attractive vintage design to accent your home.

CAMING FINISH

Patina

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10


less privacy

more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Carrington Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.




























- † For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)

 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

[§] Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
Requires an additional 6-week lead time



Brass Zinc

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy


LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Constance Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.



- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
 Requires an additional 6-week lead time
- $\ \, \text{for additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)} \\$
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



ECLIPSE

DECORATIVE GLASS

Eclipse features double gluechip and clusters of beveled glass with a traditional and harmonious design. Eclipse promotes classical elegance and privacy.

CAMING FINISH



PRIVACY RATING

1 2 3 4 5 6 **7** 8 9 10

less privacy more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Eclipse Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.



































- † For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) † Requires an additional 6-week lead time Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions





PRIVACY RATING

1 2 3 4 **5** 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Esmond Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.










































- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
 Requires an additional 6-week lead time
- $\ \, \text{for additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)} \\$
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



ESSENCE DECORATIVE GLASS

Essence features a bronze seedy glass combined with micro granite that brings elegance to a whole new level.

CAMING FINISH



PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Essence Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

612/613 **3**ł





















† For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern ł Requires an additional 6-week lead time

Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



DECORATIVE GLASS

This traditional style is accented with a creamy alabaster glass adding interest and appeal that clearly sets it apart from other decorative designs.

CAMING FINISH



PRIVACY RATING

1 2 3 4 5 6 7 **8** 9 10

less privacy more privacy

LIFETIME LIMITED WARRANTYIncludes Glass Breakage & Seal Failure



Most full wood frame and composite frame entry systems using Florence Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

612/613 **©**ł































- † For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) † Requires an additional 6-week lead time Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



GEMSTONE

DECORATIVE GLASS

Beautiful beveled glass with iced and micro-iced granite, accented with alabaster and zinc caming, gives this classic design a contemporary edge.

CAMING FINISH

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Gemstone Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

612/613 **3**ł

























[†] For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) † Requires an additional 6-week lead time Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



GENESIS

DECORATIVE GLASS

Vertically oriented panels with microcubed and cubed privacy glass provide security and modern sophisticated style, while beveled glass inserts offer a modest glimpse of interior and exterior spaces.

ALUMINUM CAMING FINISH




PRIVACY RATING

1 2 3 4 5 6 **7** 8 9 10

less privacy


more privacy

LIFETIME LIMITED WARRANTY









LAURENCE

DECORATIVE GLASS

Laurence features a gray seedy softwave expressing defined classical vintage that will greet your guests with its distinguished character and prominent lines.

CAMING FINISH

Patina

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Laurence Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

612/613 **0**ł





















[†] For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) † Requires an additional 6-week lead time Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



MANHATTAN

DECORATIVE GLASS

Manhattan features streamed glass, clear bevels and gray softwave, combining simplicity and modern style. Accent it with either patina or zinc caming to customize the look.

CAMING FINISH



PRIVACY RATING

1 2 3 4 5 6 7 **8** 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Manhattan Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

612/613 **0**ł




















[†] For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) † Requires an additional 6-week lead time Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



MIRAGE

DECORATIVE GLASS

Mirage offers effortless style, with thin reed glass all over, complemented by clear beveled glass. Zinc caming tops it off, making it a simple, modern and attractive design.

CAMING FINISH

PRIVACY RATING

1 2 3 4 5 6 **7** 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY



Most full wood frame and composite frame entry systems using Mirage Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

612/613 **Q**ł





































- † For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) † Requires an additional 6-week lead time Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions












- § Also available in 10" width. See Price List for design pattern
- Requires an additional 6-week lead time
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



SYMPHONY

DECORATIVE GLASS

Symphony features a bronze softwave and expresses timeless beauty and elegance at every curve. This design is sure to bring you a pleasing and melodious style.

CAMING FINISH



PRIVACY RATING

1 2 3 4 **5** 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



Most full wood frame and composite frame entry systems using Symphony Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.















































- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
 Requires an additional 6-week lead time

- For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions
 In Certified Wind Load region, indicated transoms must be installed in a separate opening or use approved engineering mulls



This lively design includes delicate thin reed, small hammered and micro granite glass, paired with a southwestern beveled pattern. Uniquely handsome, Tacoma offers both modern and classic elegance to your home.

CAMING FINISH

Patina

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



Most full wood frame and composite frame entry systems using Tacoma Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

612/613 **©**ł


















- † For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) † Requires an additional 6-week lead time Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



CAMING FINISH

Patina



LIFETIME LIMITED WARRANTYIncludes Glass Breakage & Seal Failure



Most full wood frame and composite frame entry systems using Tranquility Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

612/613 **©**ł


































- † For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™) † Requires an additional 6-week lead time Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions





WROUGHT IRON DESIGN

BARCELONA

Barcelona features an exquisite wrought iron design with the option of choosing Gluechip (standard), Waterfall, Taffeta, Chinchilla, Obscure Pebble or clear glass.

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Privacy rating will change based on choice of glass. The privacy rating of 8 applies to Gluechip glass, as shown to the left.

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure

















Most full wood frame and composite frame entry systems using Barcelona Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

† For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)

Wrought iron designs are not a ProVia exclusive.



PRIVACY RATING 1 2 3 4 5 6 7 8 9 10 less privacy more privacy







PRIVACY RATING
1 2 3 4 5 6 7 8 9 10

less privacy more privacy



PRIVACY RATING
1 2 3 4 5 6 7 8 9 10

less privacy more privacy

WROUGHT IRON CHINCHILLA (standard) 79



WROUGHT IRON DESIGN

CARMEN

Carmen features a refreshing new style for an entrance way with old world style charm. Standard with Chinchilla privacy glass and also available in all privacy glass options.

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

mara n

Privacy rating will change based on choice of glass. The privacy rating of 9 applies to Chinchilla glass, as shown to the left.

less privacy

more privacy

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



















Most full wood frame and composite frame entry systems using Carmen Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.


† For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)


Wrought iron designs are not a ProVia exclusive.















PRIVACY RATING
1 2 3 4 5 6 7 8 9 10

less privacy more privacy





WROUGHT IRON DESIGN

CROSSBUCK

Crossbuck Wrought Iron glass is designed for those who appreciate simplicity and clean lines. This elegant glass option comes standard with clear glass. Privacy glass options are also available.

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10


less privacy more privacy

Privacy rating will change based on choice of glass. The privacy rating of 9 applies to obscure glass, as shown to the left.


LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure













Most full wood frame and composite frame entry systems using Crossbuck Glass are ENERGY STAR® Certified. See the ENERGY PERORMANCE CALCULATOR on our website for energy ratings on specific styles.

Wrought iron designs are not a ProVia exclusive.

 \dagger For additional door panel styles see pg. 9 (for Signet®), pg. 13 (for Legacy™), or pg. 15 (for Heritage™)









PRIVACY RATING
1 2 3 4 5 6 7 8 9 10

less privacy more privacy







PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy more privacy

ART GLASS



A ProVia® exclusive, Art Glass offers you an opportunity to create a unique artistic statement using design and color. Your entry door glass can reflect the inspiration of your creative vision and allow you to display an original piece of art with beautiful curb appeal.




COLOR FILL OPTIONS



刀 Denotes Trending Color

Always refer to our color selector for accurate color representation.

Privacy glass is tempered for safety and this process may cause minuscule surface waves on the glass. Since the surface is not completely flat, the color fill may migrate toward lower points in the glass, resulting in varied saturation levels on the surface.



CLEAR FILL


Clear Fill imparts a degree of transparency to privacy glass. The Clear Fill option may be used on privacy glass sections of the design to allow homeowners a clearer, yet translucent view.

RESIN BEAD COLORS


| Black | Clay |
|----------|--------|
| | |
| Silver | Bronze |
| | |
| Gunmetal | |

ART GLASS DESIGNS









BLOSSOMS




BROOKHAVEN



CARLISLE




ECLIPSE





ESMOND






GEMSTONE






HAVEN





LAURENCE



POPPY

PROFESSIONAL-CLASS DOOR FINISHES



Applied with care, by professionals. If you buy an entry system and finish it yourself, chances are it's the first door you've ever painted or stained. At ProVia®, stains are hand-applied by professional craftsmen, many who have been perfecting their work for years.



SIGNET® STAIN FINISHES



7-STEP STAIN FINISHING SYSTEM



- DURAFUSE[™] Proprietary P³ Fusion Preparation Processes ensuring unprecedented finish durability
- 2. **HAND-APPLIED STAIN FINISH** formulated exclusively for Signet fiberglass doors
- A layer of 2-part urethane, catalyst-hardened CLEAR COAT WITH UV INHIBITORS is applied
- 4. Clear coat is **OVEN-CURED** for lasting durability
- 5. The door is **HAND-SANDED**, preparing the surface for the second layer of clear coat
- 6. A second layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH UV INHIBITORS** is applied
- 7. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

Cherry & Mahogany Stains (shown on Cherry)



Oak, Knotty Alder & Fir Stains (shown on Oak)



SIGNET® GLAZED FINISHES



Distinctive beauty achieved through a creative hand-applied finish giving each door a unique aged look.

9-STEP GLAZED FINISHING SYSTEM



- 1. **DURAFUSE**™ Proprietary P³ Fusion Preparation Processes ensuring unprecedented finish durability
- 2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied
- 3. Base coat is **OVEN-CURED** for lasting durability
- 4. **HAND-APPLIED STAIN FINISH** formulated exclusively for Signet fiberglass doors
- 5. A layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH UV INHIBITORS** is applied
- 6. Clear coat is **OVEN-CURED** for lasting durability
- 7. The door is **HAND-SANDED**, preparing the surface for the second layer of clear coat
- 8. A second layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH UV INHIBITORS** is applied
- The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

Knotty Alder, Mahogany, Fir, Cherry & Oak Glazed Finishes (Shown on Oak)



15-YEAR FINISH WARRANTY*Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

Glazed finishes may look slightly different depending on the skin species selected.


Always refer to our color selector for accurate color representation.

LEGACY[™] & HERITAGE[™] STAIN FINISHES



LEGACY STEEL

6-STEP STAIN FINISHING SYSTEM




- Steel doors are A40 Hot-dipped Galvannealed (300% more coating thickness than 40Z full electrolytic zinc coated steel) to resist rust inside and out
- A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- Base coat is **OVEN-CURED** for lasting durability 3.

Cherry

- HAND-APPLIED STAIN FINISH is added for enhanced beauty 4.
- A layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH** 5. **UV INHIBITORS** is applied
- The door is **OVEN-CURED** a second time, creating a longlasting, durable finish

HERITAGE FIBERGLASS

5-STEP STAIN FINISHING SYSTEM



- A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- Base coat is **OVEN-CURED** for lasting durability 2.
- 3. HAND-APPLIED STAIN FINISH is added for enhanced beauty
- A layer of 2-part urethane, catalyst-hardened $\mbox{\bf CLEAR}$ $\mbox{\bf COAT}$ $\mbox{\bf WITH}$ 4. **UV INHIBITORS** is applied
- The door is **OVEN-CURED** a second time, creating a longlasting, durable finish

Heritage & Legacy Stains (shown on Legacy Woodgrain Textured)

Dark Mahogany



Stain finishes may look slightly different depending on the skin species selected.

Always refer to our color selector for accurate color representation.

PAINT FINISHES



We do the finishing, so you don't have to.

You wouldn't try to paint a car yourself, so why should it be any different when it comes to staining or painting your entry door?

SIGNET®, HERITAGE™, & LEGACY™ PAINT FINISHES



Denotes Trending Color

Always refer to our color selector for accurate color representation.



CUSTOM PAINT COLORS

Still searching for the perfect color? Custom color-matching is available on our Entry Doors.

Custom stains also available on Signet Fiberglass Entry Doors.

Additional lead-time required.

SIGNET

5-STEP PAINT FINISHING SYSTEM



- DURAFUSETM Proprietary P³ Fusion Preparation Processes ensuring unprecedented finish durability
- 2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- 3. Base coat is **OVEN-CURED** for lasting durability
- 4. The door is then coated with a 2-part urethane, catalyst-hardened **FINISH COAT**
- The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish


15-YEAR FINISH WARRANTY*

Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

LEGACY

5-STEP PAINT FINISHING SYSTEM



- Steel doors are A40 Hot-dipped Galvannealed (300% more coating thickness than 40Z full electrolytic zinc coated steel) to resist rust inside and out
- 2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- 3. Base coat is **OVEN-CURED** for lasting durability
- 4. The door is then coated with a 2-part urethane, catalyst-hardened **FINISH COAT**
- 5. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

HERITAGE

4-STEP PAINT FINISHING SYSTEM



- 1. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
- 2. Base coat is **OVEN-CURED** for lasting durability
- 3. The door is then coated with a 2-part urethane, catalyst-hardened **FINISH COAT**
- 4. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

10-YEAR FINISH WARRANTY*

Heritage and Legacy Doors

*Warranty time period may be limited in extreme exposure applications. See warranty for details.





HARDWARE



We offer a variety of designs and finishes all with their own security features, unique functionality, and advanced technology. You'll be sure to find the features and design that will ensure your front door is the perfect complement to your new entryway.



Schlage® Addison hardware with Encode Plus™ Century Deadbolt in Black



See entry door hardware styles, colors and operation videos on our website.






PANOLOCK® PLUS MULTI-POINT LOCK



PanoLock® is the first and only multi-point lock that works with multiple hardware options, bringing security and performance to every entry and hinged patio door.



A. Tapered bolt.

Unlike other locks that tend to catch, PanoLock's tapered bolts engage easily, even when the door is out of alignment.

B. Adjustable roller strike.

Rollers lower operating force and allow the tapered bolt to gently snug the door panel against the weatherstrip.

STRENGTH

PanoLock offers enhanced strength and security vs. standard locking systems.

ENHANCED PERFORMANCE

Equipped with two tapered locks, PanoLock provides enhanced performance while reducing operation force.

ULTIMATE SECURITY

PanoLock features roller strike plates equipped with extra anchor screws enhancing security.

FLEXIBILITY

PanoLock can be used on both inswing and outswing applications.



MULTIPLE HARDWARE OPTIONS

Thumb press, lever or knob - PanoLock Plus has the ability to be paired with select Schlage® and Emtek® hardware. Some of the options available are shown below.





See entryLINK for all compatible hardware options.

PANOLOCK PLUS MULTI-POINT LOCKING HARDWARE

1 Tapered Bolt

SECURITY SIMPLIFIED

PanoLock allows you to enjoy the strength and security of a multi-point lock with the ease of operation of a standard handle set. A simple rotation of the key or thumb turn activates the top and bottom tapered bolts.

PanoLock Plus will not activate the middle latch bolt to use as a locking point. This middle latch bolt will work separately from the other two tapered bolts. It will be controlled entirely by the handleset.

PanoLock is available on standard height and 8' foot doors.

FACEPLATE FINISHES

Brushed Clear Anodized

Victorian Bronze

2 Tapered Bolt

Latch

Bolt



TRILENNIUM® MULTI-POINT HARDWARE



Trilennium Multi-Point Locking System provides ultimate protection and peace of mind with the power of three full deadbolts and a solid lock design that even strengthens the door panel.

Trilennium hardware is an option for all standard size and 8' Signet® and Heritage™ fiberglass doors.

Also available on all 20-gauge Legacy™ steel doors. | NOT available on Steel L-Frames.

Trilennium hardware has a 10-Year warranty on materials and workmanship.





AVAILABLE FINISHES



* Flat Bronze does not coordinate with Black/Bronze accessories.

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

TRILENNIUM MULTI-POINT LOCKING HARDWARE

The Trilennium Multi-Point locking system provides more than just security. It offers homeowners better door closure and sealing than a single point lock.

- Three 1" deadbolts latch with deadbolt throw.
- Deadbolts include anti-saw hardened steel pin.
- A solid I-beam runs the full length of the lock, and increases the strength and precision of the lock.
- Latch and deadbolt release with a single downward movement.



Top and bottom latch design allows for door misalignment and 1/4." pull-in when deadbolted.



Angled shoulder on bolt engages with the adjustable roller strike



EMTEK® HARDWARE



Emtek's unique Interconnect Device provides the security of a locking deadbolt while providing the means for a panic-proof exit. Turning the interior knob or lever simultaneously retracts both the deadbolt and passage latches.

EXTERIOR STYLES

(Single Point Lock)



MODERN RECTANGULAR

(Two Point Lock)

Panic-proof exit not available in Modern Rectangular hardware

Round Hanover Knob Δ Lever Δ





INTERIOR STYLES

Egg ∆* (Recommended on Melrose)







Cortina • ◊*

(Recommended

on Orleans)

Stuttgart ∆ (Only available on Davos)



Round Knob ∆



Hanover Lever ∆



- Δ Not available in Bright Brass
- Not available in Satin Brass
- ♦ Not available in Black
- * Only available on Melrose, Marietta and Orleans



- Heavy-duty forged brass construction
- Durable springs
- Threaded brass tubes
- Lifetime mechanical warranty
- Lifetime anti-tarnish finish warranty

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

AVAILABLE FINISHES

Lifetime Bright Brass

Lifetime Satin Brass

Lifetime Satin Nickel

Lifetime Oil Rubbed Bronze

Lifetime Black

EMTEK® HARDWARE



Emtek Select paired with the Urban Modern handlesets allows you to add two-toned hardware on the interior to elevate and customize your entry door.

URBAN MODERN (EXTERIOR)

Black

Satin Brass



Satin Nickel



Oil Rubbed Bronze





Faceted



EMTEK

SELECT INTERIOR

Shown only for texture enhancement

Knurled



Each interior style can only be paired with its corresponding color exterior style shown directly above.



Tribeca













Hammered



Tribeca SB/BLK



Knurled BLK/SB



BLK - Black SB - Satin Brass SN - Satin Nickel ORB - Oil Rubbed Bronze



SCHLAGE® HARDWARE



Schlage hardware offers more than just great looks, it is made to last.

EXTERIOR STYLES


Addison*











• Nickel silver pins and keys

• Heavy duty springs

• Superior parts and design

• Lifetime mechanical warranty

• Lifetime anti-tarnish finish warranty

Century pairs well with the Schlage Encode Plus™ Wi-Fi Deadbolt with Century Trim.

- * Not available in Bright Brass finish
- ♦ Available in Satin Nickel and Black

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.









INTERIOR STYLES

Georgian



Accent



Flair








Latitude Lever with Century Trim (Only available on Century)





AVAILABLE FINISHES



Lifetime Antique Brass

Lifetime Black

SCHLAGE CLASSIC

LOCKSETS AND DEADBOLTS



Accent/Addison Keyed Lockset*



Accent Keyed Lockset



Georgian Keyed

Lockset



Flair Keyed Lockset



Latitude Lever with Century Trim Keyed Lockset §



Latitude Lever with Collins Trim Keyed Lockset



Thumbturn Deadbolts



Interior Only 1-Sided Thumbturn Ďeadbolt ◊ (Only available in 20-Gauge Steel or Signet® Fiberglass)









Century Trim §



Maximum Security Double Key Deadbolt ◊

SCHLAGE PASSAGE LATCHES

Addison Trim *



Accent/Addison Passage Latch*



Accent Passage Latch



Latitude Lever with Century Trim §



Latitude Lever with Collins Trim



Flair Passage Latch



Georgian Passage Latch

AVAILABLE FINISHES



Lifetime Antique Brass

Lifetime Black

Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

- ♦ Interior Only 1-Sided Thumbturn Deadbolts on any door which is used for egress may be a safety hazard in times of emergency double key deadbolts on any door which is used for egress are a safety hazard in times of emergency.
- * Not available in Bright Brass finish
- § Only available in Satin Nickel and Black finish

SCHLAGE® ELECTRONIC HARDWARE



ENCODE PLUS™ SMART WIFI DEADBOLT

Smart. Simple. Secure.

Schlage's next generation smart lock offers consumers unparalleled flexibility with new smart home capabilities that provide even greater convenience and security for home access control.













- Offers iOS and Android compatibility
- Remotely (un)lock, check status, manage 100 pin codes (24/7, schedules, temporary), receive notifications, see lock history
- Voice control with Alexa or Google Assistant



- First major North American lock brand to support new home keys for iPhone and Apple Watch feature (coming with iOS 15 release, no Apple hub required to use home keys)
- HomeKit experience: (Un)Lock from phone/watch app, status, 24/7 pin codes*, Siri voice control, notifications
- Remote connectivity and automations through HomeKit require an Apple home hub

Camelot



Century





AVAILABLE FINISHES

Lifetime Satin Nickel Lifetime Black

ELECTRONIC DEADBOLT

ELECTRONIC KEYPAD **DEADBOLT**



Interior





ACCENT LEVER

ELECTRONIC LOCKSET



Electronic locksets and deadbolts utilize Schlage's Innovative keyless access. It's convenient and is customizable to fit your security needs.

- Deadbolt is available with any Schlage entry hardware
- 9-volt battery included
- Lighted keypad
- Up to 19 user codes
- Easy to add or delete codes
- Lifetime Mechanical and 3-Year Electronics Warranty

AVAILABLE FINISHES



Lifetime finish warranty time period is limited to five years if product is installed in a costal region.

ACCESSORIES



Sometimes the smallest things make the biggest difference. Our accessories add a lot to the look of your entry system.





%" Peepsite**

Kick Plate

DECORATIVE HINGES

Also available in Satin Nickel & Oil Rubbed Bronze (Inswing only) NOT tested for Impact Shield regions.



FINISHES



ACCESSORIES FINISH AVAILABILITY

5-Year Mechanical Warranty

| | | Lifetime Finish | | | | 5-Year Finish | | No Finish Warranty | Impact Shield 5-Year Finish | |
|-----------------------------|-----------------|-----------------|-----------------|--------|-------|---------------|---------------|----------------------|--|--|
| Accessories | Bright Brass | Satin Brass | Satin Nickel | Bronze | Black | Bright Brass | Antique Brass | Oil Rubbed Bronze | Bright Brass, Satin Nickel, Black, Bronze and Satin Brass | |
| Colonial Door Knocker | • | | • | • | | | | • | (N/A Black/Bronze) | |
| Classic Door Knocker/Viewer | • | • | • | • | • | • | • | | • | |
| Classic Door Knocker | • | • | • | • | | • | • | | • | |
| Magazine Slot* | • | • | • | • | | • | • | | | |
| Mail Slot* | • | • | • | • | | • | • | | | |
| Kick Plate | • | • | • | • | | • | • | | • | |

^{*} Mail slot and magazine slot are not available on 003C, 006C, 008P, 009, 420-DS, 420-DP, 420-3P, 110, 243, 440, 240, 449, 460, & 350 door styles. Additionally, magazine slots are also not available on 002C-449 & 003 door styles.

^{**} Peepsite available in Bright Brass, Chrome (recommended for use with Satin Nickel hardware finish) and Aged/Antique (recommended for use with Black, Oil Rubbed Bronze or Antique Brass hardware finish) with 5-year finish warranty.

ACCESSORIES continued



The Hinge Straps, Clavos and Speakeasy are options that can give your entryway an old world look. Combine these options with our Signet® Knotty Alder Series to achieve a rustic or antique style. Hinge Straps, Clavos and Speakeasy are constructed of durable flat black aluminum.





002CP-449 Signet Cherry Fiberglass in Natural Leather Glaze with Oil Rubbed Bronze Emtek Davos Handle | 160 Style Signet Cherry sidelites with Waterfall Privacy Glass.

HINGE STRAPS ******



Available on all door styles shown on opposite page





CLAVOS 😲





Available only on door styles shown with planks on opposite page (002CP-449, 002CP-437, 8' 002CP-449 and 8' 002CP-437)

SIGNET FIBERGLASS DOOR STYLES















8' SIGNET FIBERGLASS DOORS

002C-437



Knotty Alder Smooth



Available on Impact Shield products


CASING AND CLADDING





CASING

Put the finishing touch on the inside of your entryway with our beautiful interior casing. Available in Cherry, Mahogany, Fir, Oak or Poplar wood.



Available for any door configuration including transoms.

Signet® stains are available on Cherry, Mahogany, Oak or Fir casing, and Heritage™ and Legacy™ stains are available on Oak or Poplar casing. Paint and glazed finishes are available on Poplar casing.



Custom Casing

Don't see a casing style you need? We have a custom casing program that can meet your needs. Contact your dealer for additional information on our Custom Casing program.

- * Only available in Fir and Poplar
- ▲ NOT available in Fir




ALUMINUM PRE-FIT CLADDING

Cladding is worth the small investment. You can add cladding to any FrameSaver® or PermaTech™ Composite Frame.

- Protective
- Stays beautiful
- Maintenance-free
- Factory applied

TUFTEX™ **SMOOTH CLADDING** COLORS

Aluminum trim coil with mar-resistant smooth finish.



TEXTURED CLADDING COLORS







STORM DOORS



Every storm door is individually customized to the highest standards in the residential market for homeowners who appreciate impeccable, uncompromising quality. Please see the ProVia® Storm Door brochure or scan the QR code for all options.







STORM DOOR **DETAILS**



The details are the small things that set ProVia® storm doors apart from the competition. A lot of small things add up to a big difference.








| Construction | Spectrum | Decorator | Deluxe | DuraGuard | Superview |
|--|----------------|--------------|--------------|--------------|------------|
| InVent™ Retractable Screen System | √ | | | | |
| Outside corners are secured to corrosion-proof gussets, for structural integrity | ✓ | ✓ | ✓ | ✓ | ✓ |
| Color matched aluminum installation screw covers enhance the appearance of your door | ✓ | \checkmark | \checkmark | \checkmark | ✓ |
| The bottom sweep eliminates drafts | Triple | Triple | Triple | Triple | Triple |
| The sculptured frame adds durability | 11/4" × 43/16" | 1¼" × 4" | 1¼" x 3 5/8" | 1¼" x 3 %" | 1¼" x 2 %" |
| Multi-hollow construction provides greater strength and security than standard storm doors | ✓ | ✓ | ✓ | ✓ | |
| The reinforced aluminum kick panel adds durability | \checkmark | | \checkmark | \checkmark | |
| The aluminum kick panel resists rust and adds strength | ✓ | | ✓ | ✓ | ✓ |

TOP STORM DOOR FEATURES

- ✓ Custom sizing availability
- ✓ Can be keyed to match entry door
- ✓ Optional double mortise hardware
- ✓ Custom door configuration ability
- ✓ Ability to match paint color to your ProVia entry door



| Construction | Spectrum | Decorator | Deluxe | DuraGuard | Superview |
|--|----------|----------------|----------|--------------|-----------|
| Corner keys provide added support to the inside of the door frame | ✓ | ✓ | ✓ | ✓ | |
| Aluminum wall up to 20% thicker than industry standard | ✓ | ✓ | ✓ | ✓ | |
| The .023 gauge stainless steel screen offers extra security and protection (12 \times 12 mesh) | | | | \checkmark | |
| Non-operable sash/screen secured by internal lock system or color matched polycarbonate clips | | Internal Locks | Clips | Clips | Clips |
| Standard insulated frame core to help reduce air movement | Optional | ✓ | Optional | Optional | |
| Screen included | ✓ | Optional | ✓ | ✓ | ✓ |
| Available in all standard and trending paint colors | ✓ | ✓ | ✓ | ✓ | |
| Clear tempered safety glass | ✓ | ✓ | ✓ | ✓ | ✓ |

SPECTRUM™ STORM DOOR FEATURES







InVent[™] RETRACTABLE SCREEN

InVent retractable balanced screens are housed inside the storm door frame, providing quick and easy ventilation without the need for removing and storing glass panels. With the screens retracted, you will enjoy a clear, unobstructed view from inside the home, while also displaying the elegance of your ProVia® entry door from the street.

GLASS PANEL OPTIONS

Choose the full view, three-quarter view, or half-lite model that best fits your needs and complements your entry door style.

DURABLE FRAME CONSTRUCTION

The 16-gauge sculptured frame reinforced with re-engineered corner gussets will stand the test of time and provide an additional layer of protection to your entry door. Your storm door is covered by our limited lifetime finish and glass breakage warranty.

CAMDEN HARDWARE (standard)

The solid brass double-mortise hardware can be keyed to match your entry door, conveniently allowing you to use the same key for both doors. Its design includes a contemporary feel with straight lines while maintaining a timeless overall appearance. Available in six finishes to match your entry door hardware.

AESTHETIC OPTIONS

The Spectrum storm door is available in 33 standard and trending paint colors, allowing you to match or complement your entry door. For a more personalized touch, you can even choose a custom color. Select from clear, tinted, privacy, or Art Glass, and explore a variety of hardware and finish options to showcase your unique style.

DISCOVER MORE



WEBSITE

ProVia.com makes it easy to explore and compare numerous door, window, siding, stone or roofing options in a straightforward, interactive way. Configure a door or window, visualize products on your home, explore color palettes, and learn about different architectural styles—all from our innovative Design Center. Save your favorite products, colors, photos or ideas throughout the site into your own ProVia portfolio for reference any time and share them across your favorite social media platforms.



VISUALIZER

Let your imagination run free with this exterior home design tool. Select from a library of existing home styles or upload a photo of your own home.

In a few easy steps, update your siding color, add stone or metal roofing, configure windows, or create a one-of-a-kind entry door system.

Looking for professionally inspired color and product palettes? Apply one of our pre-selected Designer Collections to create a curb-appealing look.



@ProVia



APP

Use the ProVia app to configure doors and windows or select from an extensive collection of vinyl siding, manufactured stone and metal roofing styles.

FEATURES

Door and Window Configuration

Vinyl Siding Profiles, Colors and Accessory Accents

Manufactured Stone Styles, Color Palettes and Grout Options

Metal Roofing Profiles, Trims and Colors

Videos, Photo Galleries and Catalogs

ProVia Dealer Locator






SOCIAL MEDIA

We love seeing how you apply our products to your home. Please share your photos with us.













"To serve, by caring for details in ways others won't." It's not just our mission, but a way of letting our light shine every day at ProVia®. We continually strive to put these words into action by providing unmatched quality and service. The P-icon symbolizes each employee's commitment to devoting the utmost care, pride and quality into each building product we manufacture...it's The Professional Way.



At ProVia, we manufacture energy efficient products and exercise corporate environmental stewardship by recycling, reducing pollution emissions and much more. In fact, our company has received repeated awards from the Environmental Protection Agency such as Partner of the Year - Sustained Excellence for Door and Window Manufacturing.

| ProVia THE PROFESSIONAL WAY | | | | |
|---|--|--|--|--|
| DOORS WINDOWS SIDING STONE ROOFING | | | | |
| provia.com | | | | |

© 2025 ProVia P-MK-03009-25 | 10/24

| Distributed by: | |
|-----------------|--|
| | |
| | |